



MINI SMD AD

Mini SMD AD Pyroelectric Infrared Sensors

S22-P330Y

V1.7

Senba Sensing Technology Co., Ltd.



1.

1.1 *ë

I SO14001

I SO14001

I SO 9001

I SO

- " I SO 9001"

1.2 ROHS

ROHS

"

2011/65/EC

ROHS

1.3

1.3.1

SMD AD

S22- P330Y

1.3.2

AD

AD

16

2²

s



3.2


SMD
16



3.3

LCD

3.4



(unit): mm





5.

1	GB/T 10125- 2012	5K
2	70 500	



7.

7.1

7.1.1 -30 +70 85%RH ()

7.1.2 : -40 +80 40%RH 60%RH

7.1.3

7.1.4

7.1.5

7.1.6

SO₂ CL₂, NO_x

7.1.7 72h

40± 10%RH

7.1.8 3

7.2

7.2.1

7.2.1.1

7.2.1.2

7.2.1.3



5 *

6

7

8

7.3

7.3.1 7

7.3.2 PIR PIR 3

7.3.3

7.3.4

245± 5 5S

245

220

220

(s)

80s 100s 20s 30s 60s 120s

7

1

2 *

3 *

" "

4 *

5 *

± 5

245 ± 5

PCB

*

150

PCB

